

PATONS

Socks for Men and Boys

Four pairs in various weights

6014

1/-
15



Put your best foot forward . . .

Clad, of course, in a Patons sock! This booklet contains a selection of four designs in various Patons weights

Boy's stocking stitch socks with fancy tops

Before knitting this design please refer to page 8

Length of foot	ins.	7½	8½	9½
Length from top to base of heel with top turned over	ins.	12½	14½	16
Patons Double Knitting	× 1 oz. balls	4	5	6
Patons Totem Double Crepe	× 1 oz. balls	4	5	6
Patons Moorland Double Knitting	× 1 oz. balls	4	5	6

You must use the Patons brands recommended above to be sure of a successful result.

Set of four No. 10 QUEEN BEE needles with points at both ends, measured by BEEHIVE gauge.

Tension

12 sts. and 16 rows to two square inches on No. 10 needles, measured over stocking stitch.

See page 8 for how to check your Tension, and Abbreviations.

Sizes

The figures in square brackets [] refer to the medium and large sizes respectively.

These Socks have been specially designed for the size range given, and it is regretted that no other adaptations are available.



BOOKLET 6014 PAGE 2

Cast on 54 [60, 66] sts. (18 [20, 22] on each of 3 needles).

Work fancy top as follows:—

1st round—* P.2, Tw.2F., Tw.2B., rep. from * to end of round.

2nd to 4th round—* P.2, K.4, rep. from * to end of round.

These 4 rounds form the patt.

Rep. 1st to 4th round 4 [5, 6] times more, then 1st round once.

Next round—Patt. 6 [4, 4], (work 2 tog., patt. 11 [8, 6]) 3 [5, 7] times, work 2 tog., patt. to end (50 [54, 58] sts.).

Proceed in K.1, P.1 rib until work measures 4¾ [5¾, 6¾] ins. from beg.

Turn work inside out to reverse fabric.

Proceed in stocking stitch (every round K.) until work measures 7¼ [8¼, 9¼] ins. from beg.

Shape leg as follows:—

**** Next round**—Sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

Work 4 [5, 6] rounds without shaping. *-
Work from ** to ** 5 times more (38 [42, 46] sts.).

Continue on these sts. until work measures 12 $\frac{3}{4}$ [14 $\frac{3}{4}$, 16 $\frac{3}{4}$] ins. from beg.

Divide sts. for Heel

K.9 [10, 11], slip the last 10 [11, 12] sts. of round on to other end of same needle (these 19 [21, 23] sts. are for heel), divide remaining sts. on to two needles and leave for instep.

Commence heel as follows:—

1st row—Sl.1 purlwise, P. to end.

2nd row—Sl.1 knitwise, K. to end.

Rep. these 2 rows 8 [9, 10] times more, then 1st row once.

Turn heel as follows:—

1st row—K.13 [14, 15], sl.1, K.1, p.s.s.o., turn.

2nd row—P.8, P.2 tog., turn.

3rd row—K.8, sl.1, K.1, p.s.s.o., turn.

Rep. 2nd and 3rd rows 3 [4, 5] times more, then 2nd row once.

Next row—K.5 [5, 5] thus completing heel (4 [4, 4] sts. remaining unworked on left-hand needle).

Slip all instep sts. on to one needle.

Using spare needle K.4 [4, 4] heel sts., **knit up** 10 [12, 14] sts. along side of heel, using 2nd needle, K. across instep sts., using 3rd needle, **knit up** 10 [12, 14] sts. along other side of heel K.5 [5, 5] heel sts. (48 [54, 60] sts.).

Shape instep as follows:—

1st round—K.

2nd round—**1st needle**: K. to last 3 sts., K.2 tog., K.1; **2nd needle**: K; **3rd needle**: K.1, sl.1, K.1, p.s.s.o., K. to end. Rep. these 2 rounds until 38 [42, 46] sts. remain.

Continue on these sts. until work measures 4 $\frac{3}{4}$ [5 $\frac{1}{4}$, 6] ins. from where sts. were knitted-up at heel.

Shape toe as follows:—

1st round—**1st needle**: K. to last 3 sts., K.2 tog., K.1; **2nd needle**: K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog. K.1; **3rd needle**: K.1, sl.1, K.1, p.s.s.o., K. to end.

2nd round—K.

Rep. these 2 rounds until 18 [18, 18] sts. remain. K. sts. from 1st needle on to end of 3rd needle. Graft sts. or cast-off sts. from two needles together.

Press, using a warm iron and damp cloth.

Man's stocking stitch socks with ribbed tops

Before knitting this design please refer to page 8

To fit foot	ins.	10 $\frac{1}{2}$	11	11 $\frac{1}{2}$
Length from top to base of heel	ins.	13 $\frac{1}{2}$	13 $\frac{1}{2}$	13 $\frac{1}{2}$
Patons Fiona	ozs.	4	4	5

You must use the Patons brand recommended above to be sure of a successful result.

Set of four No. 11 QUEEN BEE needles with points at both ends, measured by BEEHIVE gauge.

Tension

13 sts. and 18 rows to two square inches on No. 11 needles, measured over stocking stitch.

See page 8 for how to check your Tension, and Abbreviations.

Sizes

The figures in square brackets [] refer to the medium and large sizes respectively.

These Socks have been specially designed for the size range given, and it is regretted that no other adaptations are available.

Garments made from Patons Fiona will wash perfectly again and again. To derive full benefit from their built-in shape retention, wash Fiona garments as wool and dry thoroughly, but **DO NOT HANG UP TO DRY.**



Cast on 72 sts., 24 on each of 3 needles.
Work in rounds of K.1, P.1 rib for 2 ins.
Work in stocking stitch (every round K.) for 1 inch.

Shape leg as follows:—

Next round—Sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

Work 8 rounds in stocking stitch without shaping.

Rep. these 9 rounds until 60 sts. remain.

Continue in stocking stitch without further shaping until work measures 10 ins. from beg.

Divide sts. for heel as follows:—

K.14, slip the last 15 sts. of round on to other end of same needle (these 29 sts. are for heel). Divide remaining sts. on to two needles and leave for instep.

Commence heel as follows:—

1st row—Sl.1, purlwise, P. to end.

BOOKLET 6014 PAGE 4

2nd row—Sl.1, knitwise, K. to end.

Rep. last 2 rows 14 times more, then 1st row once.

Turn heel as follows:—

1st row—K.17, sl.1, K.1, p.s.s.o., turn.

2nd row—P.6, P.2 tog., turn.

3rd row—K.7, sl.1, K.1, p.s.s.o., turn.

4th row—P.8, P.2 tog., turn.

Continue in this manner until all sts. are worked on to one needle again.

Next row—K.9, thus completing heel (8 sts. remaining unworked on left-hand needle).

Slip all instep sts. on to one needle.

Using spare needle, K. 8 heel sts., **knit up** 18 sts. along side of heel, using 2nd needle knit across instep sts., using 3rd needle **knit up** 18 sts. along other side of heel, K.9 heel sts. (84 sts.).

Shape instep as follows:—

1st round—K.

2nd round—**1st needle:** K. to last 3 sts., K.2 tog., K.1; **2nd needle:** K; **3rd needle:** K.1, K.2 tog. t.b.l., K. to end.

Rep. these 2 rounds until 58 sts. remain.

Continue on these sts. until work measures 6½ [7, 7½] ins. from where sts. were knitted-up at heel.

Slip first st. of 2nd needle on to end of 1st needle and last st. of 2nd needle on to 3rd needle.

Shape toe as follows:—

1st round—**1st needle:** K. to last 3 sts., K.2 tog., K.1; **2nd needle:** K.1, K.2 tog. t.b.l., K. to last 3 sts., K.2 tog., K.1; **3rd needle:** K.1, K.2 tog. t.b.l., K. to end.

2nd round—K.

Rep. these 2 rounds until 26 sts. remain.

K. sts. from 1st needle on to end of 3rd needle.

Graft sts. or cast-off sts. from two needles together.

Work another sock in same manner.

Press using a **cool iron** and **slightly damp cloth**.

Boy's stocking stitch socks with ribbed tops

Before knitting this design please refer to page 8

Length from top to base of heel with top turned over	ins.	12	14	16
Length of foot	ins.	7½	8½	9½
Patons Flair	× 1 oz. balls	5	6	7

You must use the Patons brand recommended above to be sure of a successful result.

Set of four No. 9 BEEHIVE needles with points at both ends, measured by BEEHIVE gauge.

Tension

22 sts. and 27 rows to two square inches on No. 9 needles, measured over stocking stitch.

See page 8 for how to check your Tension, and Abbreviations.

Sizes

The figures in square brackets [] refer to the medium and large sizes respectively.

These socks have been specially designed for the size range given and it is regretted that no other adaptations are available.

Patons Flair with Courtelle washes perfectly. Hand-knits deserve hand-washing but if you want to machine-wash your Flair hand-knits, remember—do so only under mild temperature conditions (not exceeding 104°F) and only if you have checked that you have knitted to the correct tension.



Cast on 50 [54, 58] sts., (17 [18, 19] sts. on first and third needle, 16 [18, 20] sts. on second needle).

Proceed in K.1, P.1 rib until work measures 4¾ [5¼, 6¾] ins. from beg.

Proceed in stocking stitch (every round K.) until work measures 7 [8¼, 9½] ins. from beg.

Shape leg as follows:—

**** Next round**—Sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

Work 4 [5, 6] rounds without shaping. ******

Work from ****** to ****** 5 times more (38 [42, 46] sts.).

Continue on these sts. until work measures 11¾ [14, 16¼] ins. from beg.

Divide sts. for heel

K.9 [10, 11], slip the last 10 [11, 12] sts. of round on to other end of same needle (these 19 [21, 23] sts. are for heel).

Divide remaining sts. on to two needles and leave for instep.

Commence heel as follows:—

1st row—Sl.1 purlwise, P. to end.

2nd row—Sl.1 knitwise, K. to end.

Rep. these 2 rows 8 [9, 10] times more, then 1st row once. Turn heel as follows:—

1st row—K.13 [14, 15], sl.1, K.1, p.s.s.o., turn,

2nd row—P.8, P.2 tog., turn.

3rd row—K.8, sl.1, K.1, p.s.s.o., turn.

Rep. 2nd and 3rd rows 3 [4, 5] times more, then 2nd row once.

Next row—K.5 [5, 5], thus completing heel, (4 [4, 4] sts. remaining unworked on left-hand needle).

Slip all instep sts. on to one needle.

Using spare needle, K.4 [4, 4] heel sts., **knit up** 10 [12, 14] sts. along side of heel, using 2nd needle, K. across instep sts., using 3rd needle, **knit up** 10 [12, 14] sts. along other side of heel K.5 [5, 5] heel sts., (48 [54, 60] sts.).

Shape instep as follows:—

1st round—K.

2nd round—**1st needle:** K. to last 3 sts., K.2

tog., K.1; **2nd needle:** K.; **3rd needle:** K.1, sl.1, K.1, p.s.s.o., K. to end.

Rep. these 2 rounds until 38 [42, 46] sts. remain.

Continue on these sts. until work measures 4½ [5, 5½] ins. from where sts. were knitted up at heel.

Shape toe as follows:—

1st round—**1st needle:** K. to last 3 sts., K.2 tog., K.1; **2nd needle:** K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1; **3rd needle:** K.1, sl.1, K.1, p.s.s.o., K. to end.

2nd round—K.

Rep. these 2 rounds until 18 [18, 18] sts. remain.

K. sts. from first needle on to end of third needle.

Graft sts. or cast-off sts. from two needles together.

Press using a warm iron and damp cloth.

Man's wading stockings with fancy tops

Before knitting this design please refer to page 8

Length of foot		ins.	10	10½	11
Length from top to base of heel with top turned over		ins.	19	19	19
Patons Double Knitting	× 1 oz. balls		8	9	9
Patons Totem Double Crepe	× 1 oz. balls		8	9	9
Patons Moorland Double Knitting	× 1 oz. balls		8	8	9

You must use the Patons brands recommended above to be sure of a successful result.

Set of four No. 11 QUEEN BEE needles with points at both ends, measured by BEEHIVE gauge.

Tension:


13½ sts. and 18 rows to two square inches on No. 11 needles, measured over stocking stitch.

See page 8 for how to check your Tension, and Abbreviations.

Sizes

The figures in square brackets [] refer to the medium and large sizes respectively.

These Socks have been specially designed for the size range given, and it is regretted that no other adaptations are available.



Cast on 70 sts., 23 on 1st needle, 22 on 2nd needle, 25 on 3rd needle.

Proceed in rounds as follows:—

1st round—* Tw.2B., K.1, P.2, rep. from * to end of round.

2nd round—* K.3, P.2, rep. from * to end of round.

3rd round—* K.1, Tw.2F., P.2, rep. from * to end of round.

4th round—* K.3, P.2, rep. from * to end of round.

These 4 rounds form the patt.

Continue in patt. until work measures $3\frac{3}{4}$ ins. from beg.

Work in rounds of K.1, P.1 rib for $3\frac{3}{4}$ ins.

Slip first st. from 3rd needle on to end of 2nd needle.

Turn work inside out thus reversing fabric.

Next round—Inc. in first st., K.1, (P.1, K.3) 9 times, P.1, inc. in next st., K.1, P.1, * K.3, P.1, rep. from * to end of round (72 sts.).

Proceed in K.3, P.1, rib until work measures $11\frac{1}{4}$ ins. from beg.

Shape leg as follows:—

*** **Next round**—Sl.1, K.1, p.s.o., work to last 3 sts., K.2 tog., P.1.

Work 5 rounds without shaping. ***

Rep. from *** to *** 6 times more (58 sts.).

Continue in rib until work measures $19\frac{1}{4}$ ins. from beg.

Divide sts. for heel as follows:—

Rib 14, slip the last 15 sts. of round on to other end of same needle (these 29 sts. are for heel) divide remaining sts. on to two needles and leave for instep.

Commence heel as follows:—

1st row—Sl.1 purlwise, P. to end.

2nd row—Sl.1 knitwise, K. to end.

Rep. 1st and 2nd rows 14 times more, then 1st row once.

Turn heel as follows:—

1st row—K.18, sl.1, K.1, p.s.o., turn.

2nd row—P.8, P.2 tog., turn.

3rd row—K.8, sl.1, K.1, p.s.o., turn.

Rep. 2nd and 3rd rows 8 times more, then 2nd row once.

Next row—K.5, thus completing heel (4 sts. remaining unworked on left-hand needle). Slip all instep sts. on to one needle.

Using spare needle, K.4 heel sts., **knit up** 16 sts. along side of heel, using 2nd needle, rib across instep sts., using 3rd needle, **knit up** 16 sts. along other side of heel, K. 5 heel sts. (70 sts.).

Shape instep as follows:—

1st round—K. on 1st and 3rd needles, work in rib on 2nd needle.

2nd round—**1st needle:** K. to last 3 sts., K. 2 tog., K.1; **2nd needle:** Rib all across; **3rd needle:** K.1, sl.1, K.1, p.s.s.o., K. to end.

Rep. 1st and 2nd rounds until 56 sts. remain. Continue on these sts. until work measures $5\frac{1}{2}$ [6, $6\frac{1}{2}$] ins. from where sts. were knitted-up at heel.

Next round—**1st needle:** K.; **2nd needle:** K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1; **3rd needle:** K.

Shape toe as follows:—

1st round—**1st needle:** K. to last 3 sts., K.2 tog., K.1; **2nd needle:** K.1, sl.1, K.1, p.s.s.o., K. to last 3 sts., K.2 tog., K.1.

3rd needle: K.1, sl.1, K.1, p.s.s.o., K. to end. **2nd and 3rd rounds**—K.

Rep. these 3 rounds until 26 sts. remain.

K. sts. from 1st needle on to end of 3rd needle. Graft sts. or cast-off sts. from two needles together.

Press on wrong side using a warm iron and damp cloth.

PLEASE READ THIS FIRST

Abbreviations

K.=knit; P.=purl; st.=stitch; sl.=slip; p.s.s.o.=pass slip stitch over; tog.=together; t.b.l.=through back of loops; inc.=increase by working into front and back of stitch; dec.=decrease by working 2 sts. together; beg.=beginning; rep.=repeat; patt.=pattern; ins.=inches; Tw.F.2=Twist 2 Front by knitting into front of 2nd st., then front of 1st st. on left-hand needle and slipping 2 sts. off needle together; Tw.2B.=Twist 2 Back by knitting into back of 2nd st., then back of first st. on left-hand needle and slipping 2 sts. off needle together.

How to check your tension

Before you knit these designs check your tension carefully. Take a pair of No. 11 needles, and some Patons Double Knitting. Cast on 27 stitches and work in stocking stitch—1 row knit; 1 row purl—for 36 rows. Cast off; press lightly on wrong side. The tension should be $13\frac{1}{2}$ sts. and 18 rows to two square inches and the knitted square should measure 4 inches each way. If the square is bigger your work is too loose; try a size finer needle. If it is smaller your work is too tight; try a size coarser needle. If you knit to the correct tension in stocking stitch, you will knit naturally to the correct tension for any stitch in this booklet. If you alter the needles to obtain the correct tension in stocking stitch, corresponding alterations must be made to the needles throughout.

Washing Double Knitting

As two of these designs use substantial weights of double knitting, special care in washing and drying is essential if they are to keep their shape. Surplus water should be removed as quickly and as thoroughly as possible (a light wringer is permissible); while the garments are wet they should be continually supported and should on no account be hung up to dry.

Please address knitting enquiries concerning this booklet to Mrs. Sarah Bell, Patons and Baldwins Limited, Great West Road, Brentford, Middlesex. Prices apply only in Great Britain and Northern Ireland

PUBLISHED BY PATONS & BALDWINS LIMITED

Made and Printed in Great Britain by Percy Lund, Humphries & Co. Ltd, Bradford and London

37433